

**PRISM**  
(New York Partnerships for Regional Invasive Species Management)  
**NON-NATIVE PLANT INVASIVENESS RANKING FORM**

PRISM: Long Island Invasive Species Management Area

Scientific name:	Veronica beccabunga	USDA Plants Code: VEBE
Common names:	European speedwell	
Native Distribution	Eurasia, Northern Africa	
Date Assessed:	January 27, 2010	
PRISM Assessors:	Steve Glenn, Gerry Moore	
PRISM Reviewers:	LIISMA SRC	
Date Approved:	3 Feb. 2010	Form version date: 13 April 2009
New York Relative Maximum score:	61.84	Date NY assessment approved: 3 Feb. 2010
New York State Invasive Rank:	Moderate	

**SUMMARY OF PRISM RANKING RESULTS:**

**Distribution:** Not Present

**Estimated number of infested sites:** 0

**PRISM Invasiveness Rank<sup>§</sup>:** Low



**A. DISTRIBUTION AND ABUNDANCE (KNOWN/POTENTIAL):**

1. What is the species distribution and abundance in the PRISM?

- |  |             |
|--|-------------|
| A. Not present   | Not Present |
| B. Occurs in three or fewer natural areas (locations that are at least ¼ mile apart) with no infested area* >1 acre or containing >100 individuals | Restricted  |
| C. Present in 4–10 natural areas, or with one occupied location >1 acre or containing >100 individuals   | Common      |
| D. Present in >10 minimally managed areas  | Widespread  |
| U. Unknown   | Unknown     |

Answer: Not Present

Describe distribution:  
Documented from Kings Co., NY in 1879, and Queens Co., NY in 1880; no current locations known from the PRISM.  
Sources of information:  
Brooklyn Botanic Garden, 2010.

<sup>§</sup>Not Assessable: not persistent in the PRISM, or not found outside of cultivation.

\*Definition of “infested area” is the “...actual or percentage of land occupied by [canopy cover of] weed plants” NAWMA (North American Weed Management Association) 2002. North American Invasive Plant Mapping Standards (see <http://www.nawma.org/>).

**PRISM**  
(New York Partnerships for Regional Invasive Species Management)  
**NON-NATIVE PLANT INVASIVENESS RANKING FORM**

2. What is the likelihood the species will occur (if not yet present) or expand its distribution and abundance (if already present) in the PRISM?

Answer: Moderately likely

Documentation (e.g.: history of establishment in PRISM, suitability of habitats and climate, distribution models, literature, expert opinions):

Climate is suitable but species is generally reported from wetlands with fertile soils, thus possibly making it unlikely that it would become established in some parts of the LIISMA PRISM.

Sources of information:

Tutin & Heywood, 1972; Fischer, 1985; Grime et al., 1988.

**B. INVASIVENESS RANK IN THE PRISM:**

Is the species distribution Widespread or Common?

Yes: Go to column A in table below.

No: What is the likelihood of species occurrence or expansion? Answer: Moderately likely

- |                    |                                  |
|--------------------|----------------------------------|
| Very Likely:       | Use column A below               |
| Moderately likely: | Use column B below               |
| Unlikely:          | Use column C below               |
| Zero likelihood    | Invasive potential Insignificant |
| Unknown            | Invasive potential Unknown       |
| Not assessed       | Invasive potential not assessed  |

Assign a PRISM invasiveness rank to the species based on its New York Relative Maximum Score, using the designated column in the table below.

New York Relative Maximum Score	New York Invasiveness Rank	A	B	C
> 80.00	Very High	VH	H	M
70.00–80.00	High	H	M	L
50.00–69.99	Moderate	M	L	Ins
40.00–49.99	Low	L	Ins	Ins
<40.00	Insignificant	Ins	Ins	Ins

**Column used: B (Insert PRISM Invasiveness Rank on page 1)**

**References for species assessment:**

Brooklyn Botanic Garden. 2010. AILANTHUS database. [Accessed on January 27, 2010].

Fischer, M. A. 1985. Veronica beccabunga consists of 3 vicarious subspecies. *Flora (Jena)*. 176(1-2):117-128.

Grime, J. P., J. G. Hodgson & R. Hunt. 1988. *Comparative plant ecology. a functional approach to common British species.* Unwin Hyman, London, UK. 742 pp.

Tutin, T. G. & V. H. Heywood (eds.). 1972. *Flora Europaea*. Vol. 3. Cambridge, UK. 374 pp.

**Citation:** This ranking form for regions within NYS may be cited as: Jordan, M.J., G. Moore and T.W. Weldy. 2008. Invasiveness ranking system for non-native plants of New York. Unpublished. The Nature Conservancy, Cold

**PRISM**  
(New York Partnerships for Regional Invasive Species Management)  
**NON-NATIVE PLANT INVASIVENESS RANKING FORM**

Spring Harbor, NY; Brooklyn Botanic Garden, Brooklyn, NY; The Nature Conservancy, Albany, NY. Note that the order of authorship is alphabetical; all three authors contributed substantially to the development of this protocol.

**Acknowledgments:** Valuable contributions by members of the Long Island Invasive Species Management Area's Scientific Review Committee were incorporated in revisions of this form.